SAFETY DATA SHEET



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation QUALIFIER TRANSMISSION SAE 75W

of the mixture

Registration number -

UFI: GA68-HQCC-PTJJ-7Y5U

Synonyms None.

Product code RP_9001F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesTransmission fluid.Uses advised againstAll other uses.

1.3. Details of the supplier of the safety data sheet

Company name REPSOL LUBRICANTES Y ESPECIALIDADES, S.A.

Address Méndez Álvaro, 44 28045 - MADRID, Spain

Telephone +34 917538000 /+34 917538100

Fax +34 902303145

Email address FDSRLESA@repsol.com

1.4. Emergency telephone number

Toxicology Information + 34 91 562 04 20

Service

Carechem 24 +34 91 114 2520 / +44 1235 239670

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitisation Category 1B H317 - May cause an allergic skin

reaction.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified

with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl

Hazard pictograms



Signal word Warning

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

Prevention

P261 Avoid breathing mist/vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not assigned.

Disposal Not assigned.

958682 Version #: 01 Revision date: - Issue date: 08-July-2021 1 / 11

Supplemental information on the label

None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Please refer to Sections 5, 6 and 7 of this SDS for information on other hazards, different from classification hazards but which may contribute to the overall hazards of the product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
1-decene, tetramer, mixed with 1-decene trimer, hydrogenated	30 - 40	68649-12-7 -	-	-	
Classificatio	n: Asp. Tox.	1;H304			
Polysulphides, di-tert-Bu	1,8 - 4,2	68937-96-2 273-103-3	01-2119540515-43-XXXX	-	
Classificatio	n: Skin Sens.	1B;H317, Aquatic C	hronic 3;H412		
Mineral oil*	0,9 - 1,8	- -	-	-	
Classificatio	n: Asp. Tox.	1;H304			
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salte by amines, C12-14- tert-alkyl	0,9 - 1,8 d	- 931-384-6	01-2119493620-38-XXXX	-	
Classificatio		4;H302;(ATE: 500 m Aquatic Chronic 2;H4	ng/kg), Eye Dam. 1;H318, Ski 11	n Sens.	
O,O,O-TRIPHENYL PHOSPHOROTHIOATE	0,27 - 0,36	597-82-0 209-909-9	01-2119979545-21-XXXX	-	
Classificatio	n: Repr. 2;H3	861			
Magnesium metaborate	0,09 - 0,45	13703-82-7 237-235-5	01-2120769073-53-XXXX	-	

Composition comments

*The mineral oil contained may be described by one or more of the following:

CAS 64742-54-7, Registration No. 01-2119484627-25, Destillates (petroleum), hydrotreated heavy paraffinic; - CAS 64742-65-0, Registration No. 01-2119471299-27, Distillates (petroleum), solvent dewaxed heavy paraffinic; - CAS 64742-55-8, Registration No. 01-2119487077-29, Distillates (petroleum), hydrotreated light naphthenic; - CAS 64742-56-9, Registration No. 01-

2119480132-48, Distillates (petroleum), solvent-dewaxed light paraffinic.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if Eye contact irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

4.3. Indication of any immediate medical attention and special treatment needed May cause an allergic skin reaction. Dermatitis. Rash. Exposure may cause temporary irritation,

redness, or discomfort.

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

QUALIFIER TRANSMISSION SAE 75W

SDS Spain

SECTION 5: Firefighting measures

General fire hazards

Will burn if involved in a fire.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed such as: Carbon monoxide, carbon dioxide, oxides of sulphur, zinc and phosphorus.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapours. Follow standard emergency procedure. Wear appropriate personal

protective equipment (See Section 8).

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

For emergency responders

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Persons susceptible to allergic reactions should not handle this product. Provide adequate ventilation. Wear appropriate personal protective equipment. Ensure safe systems of work or equivalent arrangements are in place to manage risks. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

7.3. Specific end use(s) Transmission fluid.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Spain. Occupational Exposure Limits

Product	Туре	Value	Form	
Oil mist, mineral	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Biological limit values
Recommended monitoring

No biological exposure limits noted for the ingredient(s).

procedures

procedures

Follow standard monitoring procedures.

958682 Version #: 01 Revision date: - Issue date: 08-July-2021 3 / 11

Derived no effect levels (DNELs)

General Population

Components	Value	Assessment factor	Notes
Magnesium metaborate (CAS 13703-82-7)			
Long-term, Systemic, Dermal	0,278 mg/kg bw/day	450	effect on fertility
Long-term, Systemic, Inhalation	0,82 mg/m3	450	effect on fertility
Long-term, Systemic, Oral	0,28 mg/kg bw/day	450	effect on fertility
O,O,O-TRIPHENYL PHOSPHOROTHIOATE	(CAS 597-82-0)		
Long-term, Systemic, Dermal	0,2 mg/kg	200	Repeated dose toxicity
Long-term, Systemic, Inhalation	0,34 mg/m3	50	Repeated dose toxicity
Long-term, Systemic, Oral	0,2 mg/kg	200	Repeated dose toxicity
Polysulphides, di-tert-Bu (CAS 68937-96-2)	·,= ···g···g		,
Long-term, Systemic, Dermal	1,67 mg/kg	600	Repeated dose toxicity
Long-term, Systemic, Dermai	0,58 mg/m3	150	Repeated dose toxicity
Long-term, Systemic, Irridiation	0,167 mg/kg bw/day	600	Repeated dose toxicity
			·
Reaction products of 4-methyl-2-pentanol and and salted by amines, C12-14- tert-alkyl (CAS	S -)		
Long-term, Local, Dermal	160 μg/cm2	15	Skin sensitisation
Long-term, Systemic, Dermal	6,25 mg/kg	240	Repeated dose toxicity
Long-term, Systemic, Inhalation	1,09 mg/m3	60	Repeated dose toxicity
Long-term, Systemic, Oral	0,25 mg/kg	600	Repeated dose toxicity
Short-term, Local, Dermal	160 μg/cm2	15	Skin sensitisation
Workers	-		
Components	Value	Assessment factor	Notes
Magnesium metaborate (CAS 13703-82-7)			
Long-term, Systemic, Dermal	7,78 mg/kg bw/day	225	effect on fertility
Long-term, Systemic, Inhalation	5,49 mg/m3	56,25	effect on fertility
O,O,O-TRIPHENYL PHOSPHOROTHIOATE	-		,
Long-term, Systemic, Dermal	0,4 mg/kg	100	Repeated dose toxicity
Long-term, Systemic, Inhalation	1,39 mg/m3	25	Repeated dose toxicity
Polysulphides, di-tert-Bu (CAS 68937-96-2)			
Long-term, Systemic, Dermal Long-term, Systemic, Inhalation	4,67 mg/kg 3,29 mg/m3	300 75	Repeated dose toxicity Repeated dose toxicity
Reaction products of 4-methyl-2-pentanol and and salted by amines, C12-14- tert-alkyl (CAS		e, propoxylated, esterified	with diphosphorus pentaoxi
Long-term, Local, Dermal	160 μg/cm2	15	Skin sensitisation
Long-term, Systemic, Dermal	12,5 mg/kg	120	Repeated dose toxicity
Long-term, Systemic, Inhalation	4,28 mg/m3	30	Repeated dose toxicity
Short-term, Local, Dermal	160 μg/cm2	15	Skin sensitisation
dicted no effect concentrations (PNECs)	. •		
Components	Value	Assessment factor	Notes
		A33C33IIICIII IUCIOI	140103
-	Value		
Magnesium metaborate (CAS 13703-82-7)		1000	
Magnesium metaborate (CAS 13703-82-7) Freshwater	0,05 mg/l	1000	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases	0,05 mg/l 0,5 mg/l		
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water	0,05 mg/l 0,5 mg/l 0,05 mg/l	1000	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg		
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater)	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l	1000	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water)	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l	1000	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg	1000 300	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l	1000	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP O,O,O-TRIPHENYL PHOSPHOROTHIOATE	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l (CAS 597-82-0)	1000 300	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP O,O,O-TRIPHENYL PHOSPHOROTHIOATE Soil	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l (CAS 597-82-0) 2,37 mg/kg	1000 300 10 50	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP O,O,O-TRIPHENYL PHOSPHOROTHIOATE Soil STP	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l (CAS 597-82-0)	1000 300	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP O,O,O-TRIPHENYL PHOSPHOROTHIOATE Soil STP Polysulphides, di-tert-Bu (CAS 68937-96-2)	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l (CAS 597-82-0) 2,37 mg/kg 10 mg/l	1000 300 10 50 10	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP O,O,O-TRIPHENYL PHOSPHOROTHIOATE Soil STP Polysulphides, di-tert-Bu (CAS 68937-96-2) Freshwater	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l (CAS 597-82-0) 2,37 mg/kg 10 mg/l	1000 300 10 50 10	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP O,O,O-TRIPHENYL PHOSPHOROTHIOATE Soil STP Polysulphides, di-tert-Bu (CAS 68937-96-2) Freshwater Marine water	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l (CAS 597-82-0) 2,37 mg/kg 10 mg/l 0,24 µg/l 0,024 µg/l	1000 300 10 50 10 1000 10000	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP O,O,O-TRIPHENYL PHOSPHOROTHIOATE Soil STP Polysulphides, di-tert-Bu (CAS 68937-96-2) Freshwater Marine water Secondary poisoning	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l (CAS 597-82-0) 2,37 mg/kg 10 mg/l 0,24 µg/l 0,024 µg/l 6,66 mg/kg	1000 300 10 50 10	Oral
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP O,O,O-TRIPHENYL PHOSPHOROTHIOATE Soil STP Polysulphides, di-tert-Bu (CAS 68937-96-2) Freshwater Marine water	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l (CAS 597-82-0) 2,37 mg/kg 10 mg/l 0,24 µg/l 0,024 µg/l	1000 300 10 50 10 1000 10000	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP O,O,O-TRIPHENYL PHOSPHOROTHIOATE Soil STP Polysulphides, di-tert-Bu (CAS 68937-96-2) Freshwater Marine water Secondary poisoning	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l (CAS 597-82-0) 2,37 mg/kg 10 mg/l 0,24 µg/l 0,024 µg/l 6,66 mg/kg	1000 300 10 50 10 1000 10000	
Magnesium metaborate (CAS 13703-82-7) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP O,O,O-TRIPHENYL PHOSPHOROTHIOATE Soil STP Polysulphides, di-tert-Bu (CAS 68937-96-2) Freshwater Marine water Secondary poisoning Sediment (freshwater)	0,05 mg/l 0,5 mg/l 0,05 mg/l 1,67 mg/kg 1,38 mg/l 1,38 mg/l 0,247 mg/kg 100 mg/l (CAS 597-82-0) 2,37 mg/kg 10 mg/l 0,24 µg/l 0,024 µg/l 6,66 mg/kg 0,94 mg/kg	1000 300 10 50 10 1000 10000	

Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl (CAS -)

Freshwater	2,4 μg/l	50	
Marine water	0,24 μg/l	500	
Secondary poisoning	10 mg/kg	300	Oral
Sediment (freshwater)	12,9 µg/kg		
Sediment (marine water)	1,29 µg/kg		
Soil	1,17 µg/kg		
STP	24,33 mg/l	100	

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information

The choice of the most appropriate personal protective equipment in each case depends, among other factors, on the nature of the work to be done and the conditions in which it is carried out. To do so, take the relevant risk analyses into account and consult the safety officer and/or equipment suppliers, if necessary, to make the right choice. In any case, the equipment must comply with the currently applicable CEN standards. Workers using this equipment must have received the required training in the use of the same.

Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

Skin protection

- Hand protection

Wear appropriate chemical resistant gloves. Always wear chemical-resistant protective gloves that comply with EN 374 to handle this product. Observe good industrial hygiene practices and wash gloves with soap and water before removing them. Assess the working conditions and always consult your glove supplier for information on the most suitable type of glove for each task and the required material, thickness, and breakthrough time specifications. The use of type-B gloves in accordance with EN 374 is recommended as a minimum protection against intermittent or splash contact. Consult your supplier to find the most suitable option for the product in question. The requirements of EN 388 must be taken into account for applications involving mechanical hazards with the risk of abrasion or incision. The requirements outlined in EN 407 must be taken into consideration for tasks involving thermal hazards.

- Other

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P2) can be used. Respiratory protection should meet standard EN 14387. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. Appropriate respirator selection should be made by a qualified professional.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

Product should not reach the environment through wastewater or sewage. Measures to take in case of accidental release can be found in Section 6 of this SDS.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.

ColourNo data available (*)OdourNo data available (*)Melting point/freezing point< -45 °C (< -49 °F)</th>

Boiling point or initial boiling point and boiling range

Property has not been measured.

Flammability Will burn if involved in a fire.

Lower and upper explosion limit

Explosive limit - lower (%) Property has not been measured.

Explosive limit - upper

(%)

Property has not been measured.

> 170 °C (> 338 °F) Flash point

Auto-ignition temperature Property has not been measured.

Not applicable as the product is not unstable. **Decomposition temperature**

Material is non soluble in water. pН

24 mm²/s (40 °C (104 °F)) Kinematic viscosity

Solubility

< 0,1 % Insoluble (in water). Solubility (water)

Partition coefficient Not applicable, product is a mixture. (n-octanol/water) (log value)

Vapour pressure Property has not been measured.

Density and/or relative density

Density 0,841 g/cm³

Relative density No data available (*)

Property has not been measured. Vapour density Not applicable, material is a liquid. **Particle characteristics**

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

No relevant additional information available.

Other safety characteristics (*) No data available at the time of writing or because it is not applicable due to the nature and

danger of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed.

May cause an allergic skin reaction. Dermatitis. Rash. Exposure may cause temporary irritation, **Symptoms**

redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity

Product Species Test Results

QUALIFIER TRANSMISSION SAE 75W (CAS Mixture)

Acute Dermal

ATE > 5000 mg/kg

Oral

ATE > 5000 mg/kg

QUALIFIER TRANSMISSION SAE 75W 958682

SDS Spain

Components Species Test Results

1-decene, tetramer, mixed with 1-decene trimer, hydrogenated (CAS 68649-12-7)

<u>Acute</u>

Dermal

LD50 Rat > 2000 mg/kg

Inhalation

dust/mist

LC50 Rat > 5,2 mg/l, 4 hours

Oral

LD50 Rat > 5000 mg/kg

Polysulphides, di-tert-Bu (CAS 68937-96-2)

Acute Dermal

LD50 >= 2000 mg/kg

Oral

LD50 \Rightarrow 2000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisationBased on available data, the classification criteria are not met.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicityBased on available data, the classification criteria are not met. **Carcinogenicity**Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Highly refined mineral oil (CAS -) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicityBased on available data, the classification criteria are not met.

The product contains a small amount of a substance that is suspected of damaging fertility or the

unborn child.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazardBased on available data, the classification criteria are not met.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Prolonged or repeated contact with used oil may cause serious skin diseases.

Unless otherwise stated, the health effects of this product are assessed on the basis of the

applicable calculation methods for classification.

SECTION 12: Ecological information

12.1. ToxicityBased on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Components Species Test Results

Polysulphides, di-tert-Bu (CAS 68937-96-2)

Aquatic

Acute

Crustacea EC50 Daphnia magna 0,24 mg/l, 48 hours

12.2. Persistence andNo data is available on the degradability of this product.

degradability

12.3. Bioaccumulative potential No data available.

Partition coefficient n-octanol/water (log Kow)

Polysulphides, di-tert-Bu (CAS 68937-96-2) 5,6, (20 °C)

QUALIFIER TRANSMISSION SAE 75W SDS Spain

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects Oil spills are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

Hazard No. (ADR) Not assigned.
Tunnel restriction code Not assigned.
14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number14.2. UN proper shippingNot regulated as dangerous goods.Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

QUALIFIER TRANSMISSION SAE 75W
958682 Version #: 01 Revision date: - Issue date: 08-July-2021

Subsidiary risk -

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards

Marine pollutant

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as

amended.

QUALIFIER TRANSMISSION SAE 75W

SDS Spain

958682 Version #: 01 Revision date: - Issue date: 08-July-2021

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute toxicity estimate. CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

EC50: Effective Concentration, 50%.

IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. IMO: International Maritime Organization.

LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

The classification for health and environmental hazards is derived by a combination of calculation

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

References

ECHA CHEM

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

methods and test data, if available,

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child by ingestion.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Training information

Follow training instructions when handling this material.

QUALIFIER TRANSMISSION SAE 75W

SDS Spain

958682 Version #: 01 Revision date: -Issue date: 08-July-2021

Disclaimer

This Safety Data Sheet (SDS) refers exclusively to the substance/product specified in section 1 of this document.

The information provided in this SDS has been obtained according to the best information available on the basis of technical data that is considered reliable at the time of its preparation, and in accordance with the legal requirements in force concerning classification, packaging and labelling of dangerous substances, not involving the granting of any express or implied warranty or on the accuracy of the information contained therein or concerning its suitability for a particular use or specification.

The purchaser as the recipient of the substance/product specified in section 1 of this document to which this Safety Data Sheet (SDS) refers, is responsible for evaluating the information contained in the SDS, and for verifying that it is correct and appropriate for the intended use of the substance/product specified in section 1 of this document.

The purchaser, as the recipient of the substance/product specified in section 1 of this document referred to in this Safety Data Sheet (SDS) is also responsible for adequately managing the risks thereof in its place of work. Consequently, the purchaser is obliged, regarding its workers and representatives, as well as any other person who may handle, use or be exposed to the substance/product specified in section 1 of this document in their place of work to (i) facilitate access to the relevant information in this Safety Data Sheet (SDS), transmitting for this purpose the relevant indications included in the SDS, especially those relating to the risks of the product/substance specified in section 1 of this document for the safety and health of persons and for the environment. As well as (ii) ensuring that they receive and have adequate training in handling, using or being exposed to the product/substance specified in section 1 of this document in accordance with the guidance contained in the SDS.

Accordingly, no liability for damages to the recipient of the SDS arising out of the use of the information or the use of the substance/product specified in section 1 of this document shall be accepted.